G. R. S. App. F. IX-4]

1942-3

War File No. 40-42

Previous References.

(War)

Serial Nos. 4 & 5

Later References.

P-5

GENERAL AND REVENUE SECRETARIAT

Serial Nos. Two only.

Part B for February 1943.

SUBJECT.

A. R. P. Scheme for Bangalore Civil & Military Station.

13.2.43.

2345/IV. A.R.P Scheme Ct Mstn

Continuation Sheet. W File No. / Current No. 40 of 42-3 Page.

Sh. 4 From The Clk I ARP Cells Ct Mstn.
ARP (572) 42 d 1st Feb 43 forg a copy
of addendum to ARP Scheme.
Subd for perusal. The Control of Lights
Order is finally amended as an addendum to the
Ct Mstn ARP Scheme

RS
2/2

W 40-42-4

THE COLLECTOR & A.R.P. CONTROLLER, CIVIL & MILITARY STATION
BANGALORE.

NOTIFICATION.

No.A.R.P.3/1942 dated Bangalore 23rd January 1942.

2345
W.

CONTROL OF LIGHTS ORDER.
(as finally amended).

Whereas the Hon'ble the Resident in Mysore has by notification No.F.3-42/W., dated 10th January 1942, directed that the powers conferred on him by sub-rule (1) of rule 52 of the Defence of India Rules as applied to the Station shall be exercised on his behalf also by the Collector of the Civil and Military Station, Bangalore.

Now, therefore in exercise of the said powers, I, H.H. Carleston, I.C.S., Collector of the said Station, do hereby make the following order namely:-

(1) This order shall be called the Bangalore Civil and Military Station Control of Lights Order and shall come into force at once throughout the Civil and Military Station, Bangalore.

(2) On the sounding of an Air Raid Warning Signal (Viz. fluctuating sounds or series of short blasts on sirens, and short blasts on Police and A.R.P. Wardens' whistles) or in the event of hositle air attack with or without warning, or on orders, verbal or otherwise, from any Military, Police or A.R.P. Officer, all members of the public shall immediately comply with the following directions and strictly observe the same until the sounding of the "Raiders Passed" Signal (Viz. long blasts on sirens and on police and A.R.P. Wardens' whistles).

(a) No light brighter than that emanating from an ordinary (non-pressure) oil lamp or candle shall be used in any building or part of a building or any premises appurtenant to such building or part thereof unless it is so placed or shaded that no direct or reflected ray of light or glare emanating from it is visible from any angle outside the building.

(b) No light shall be exhibited on the outside of any building or in any street or open space.

(c) All lights in or on vehicles shall be extinguished.

(3) This order shall not apply to Military, Police, and A.R.P. personnel using suitably shaded lights in the course of their duties on vehicles or otherwise, or to vehicles possessing and exhibiting special permits from the Commissioner of Police, Civil and Military Station, Bangalore or the District Superintendant of Police, Bangalore City.

(4) Breaches of this order are punishable under Rule 52(5) of the Defence of India Rules with imprisonment which may extend to 6 months and with fine.

Sd. H.H. Carleston.
COLLECTOR.

C & M Station, Bangalore.

Office of the Collector & A.R.P. Controller,
Civil and Military Station, Bangalore.

No.A.R.P.(572)/42. Dated the 1st February 1943.

To:- All Officers who have been supplied with printed copies of A.R.P. Scheme for C & M Station, Bangalore.

Addendum to A.R.P. Scheme.

In the printed copy of the Bangalore Civil and Military Station A.R.P. Scheme - September 1942 under Appendices, after Appendix V, please add "The Bangalore C & M Station Control of Lights Order" (copy attached) as Appendix VA.

D. Thangavelu Mudaliar

for Collector & A.R.P. Controller.

W 40-42-5

2A01
W

Office of the Collector & ARP. Controller,
Civil and Military Station, Bangalore.

No.ARP(700)/43. Dated the 8th February 1943.

To:- All as per distribution list.

Bangalore C & M Station ARP. Scheme Sept.42 -Amendments.

The following amendment may please be noted in your copy of the above.

On page 26 Appendix VIII (List of Important Telephone numbers) against Controller (Collector) C & M Station phone No. House for 253 substitute 39.

for Collector & ARP. Controller.